

Manufacturers of Quality Pellet Mill and Hammermill Replacement Parts

_		PELLET D	E SPEC SH	EE	Date: _		
	Customer Name & Location:	Account #:					
	Customer Contact:		Event #:				
Pe	ellet Mill Make:	Model:	HP:		Hard	dness:	
Ту	pe of Die: Hi-Chrome, Alloy, Other	Feed Cone: Bolt-On or Clamp-On					
Fla	ange: Tapered or Straight	Mill Slots- Qua	ntity:	y: Width:			
Bolt Holes- Number: Diameter:			Depth:		Center to Center:		
Re	ework/Recondition Dies: Yes or No	Recessed Pad: Yes or No					
Product Pelleted:			Markings on Die:				
Description-Standard Holes       In       / mm         D       Hole Diameter       In       / mm         T       Total Thickness       In       Image: Construction of the state of the stat							
1	Description-Inlet Holes In / Inlet Diameter	mm	<ul> <li>I→</li> <li>Ω</li> </ul>				
D	Hole Diameter			D	escription-Die Specs	In	/ mm
Ν	Inlet (well) Depth				Inside Diameter		
F	Total depth of Well and Choke	T			Pad Width		
L	Effective Length				Overall Width		
Т	Thickness				# of Rows Diagonal # of Holes Around		

-							
	Relief Description (Check All That Apply)						
	NONE		Straight and Variable				
	Straight		2 Step				
	VR Variable		Recessed				
	Tapered		Staggered				
			69				

